

The attached report is for the testing you originally ordered through the following Quest Diagnostics laboratory:

**Laboratory:** Quest Diagnostics - LA Metro (MET)  
**Ordering Client:** JAIME SCHWARTZ, MD (90211414)  
240A S LA CIENEGA BLVD # 200  
BEVERLY HILLS, CA 90211-3302  
**Requisition Number:** 0000364

The specimen was collected outside the area serviced by the laboratory identified above. For the patient's convenience the testing was performed at the following Quest Diagnostics laboratory:

**Performing Laboratory:** Quest Diagnostics - North Florida (TMP)  
**Performing Laboratory Client:** ORDER REDIRECT (21121121)  
**Performing Laboratory Requisition Number:** 0004740

Any questions about these results should be directed to the Performing Laboratory Client Services Department. Performing Laboratory contact information appears in the attached report.

Patient Information	Specimen Information	Client Information
<b>CHILDERS, APRIL</b>  <b>DOB: 04/30/1970    AGE: 53</b> Gender:    F            Fasting: Y Phone:    941.587.5678 Patient ID: 1133 Health ID: 8573009669183411	Specimen:    TZ481742L Requisition: 0004740  Collected:    12/06/2023 / 13:29 EST Received:    12/06/2023 / 13:30 EST Reported:    12/09/2023 / 19:38 EST	Client #: 21121121    05PITCH HERBST, KAREN L ORDER REDIRECT 4225 E FOWLER AVE TAMPA, FL 33617-2026

**COMMENTS:**      FASTING: YES

Test Name	In Range	Out Of Range	Reference Range	Lab
TRYPTASE	6.7		<11.0 mcg/L	AMD

The Tryptase test, fluorescent enzyme immunoassay (FEIA), measures both the Alpha and Beta forms of Tryptase. Measuring both forms of Tryptase increases sensitivity for the diagnosis of mastocytosis, and mast cell degranulation as a cause of anaphylaxis.

Patient Information	Specimen Information	Client Information
<b>CHILDERS, APRIL</b>  <b>DOB: 04/30/1970    AGE: 53</b> Gender: F              Fasting: Y Patient ID: 1133 Health ID: 8573009669183411	Specimen: TZ481742L Collected: 12/06/2023 / 13:29 EST Received: 12/06/2023 / 13:30 EST Reported: 12/09/2023 / 19:38 EST	Client #: 21121121 HERBST, KAREN L

**Immunology**

Test Name	Result	Reference Range	Lab
ANA MULTIPLEX W/REFLEX 11 AB CASCADE			MI
ANACHOICE(R) SCREEN	NEGATIVE	NEGATIVE	
<p>A negative ANA Multiplex, with Reflex to 11 Antibody Cascade indicates the absence of detectable antibodies to component analytes consisting of double stranded DNA (dsDNA), chromatin, ribonucleoprotein (RNP), Smith/RNP (Sm/RNP), Smith (Sm), SS-A, SS-B, Jo-1, centromere B, Scl-70 and ribosomal P.</p> <p>A negative result should be interpreted in the context of the clinical and laboratory findings and does not rule out autoimmune disease characterized by other autoantibody specificities such as rheumatoid arthritis, autoimmune hepatitis, primary biliary cirrhosis, autoimmune thyroiditis, Addison's disease, pernicious anemia, autoimmune neuropathies, vasculitis, celiac disease, and bullous disease.</p> <p>For additional information, please refer to <a href="http://education.QuestDiagnostics.com/faq/FAQ177">http://education.QuestDiagnostics.com/faq/FAQ177</a> (This link is being provided for informational/ educational purposes only.)</p>			
Physician Comments:			

**PERFORMING SITE:**

AMD QUEST DIAGNOSTICS/NICHOLS CHANTILLY, 14225 NEWBROOK DRIVE, CHANTILLY, VA 20151-2228 Laboratory Director: PATRICK W. MASON,MD,PHD, CLIA: 49D0221801  
MI QUEST DIAGNOSTICS-MIAMI, 10200 COMMERCE PARKWAY, MIRAMAR, FL 33025-3938 Laboratory Director: JULIE L FRIEDMAN,MD, CLIA: 10D0277334

Your request to have a duplicate copy faxed has been acknowledged.  
Queued to: 13108825454